

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/761,778	01/21/2004	Wei-Chih Chang	250809-1050	3542
24504 75	590 06/01/2005		EXAMINER	
THOMAS, KAYDEN, HORSTEMEYER & RISLEY, LLP			KRAMSKAYA, MARINA	
STE 1750	A PARKWAY, NW		ART UNIT	PAPER NUMBER
ATLANTA, G	A 30339-5948		2858	
			DATE MAILED: 06/01/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

			_		
	Application No.	Applicant(s)			
	10/761,778	CHANG ET AL.	QN		
Office Action Summary	Examiner	Art Unit	0		
	Marina Kramskaya	2858			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be timed within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication D (35 U.S.C. § 133).	.		
Status					
1) Responsive to communication(s) filed on					
2a) This action is FINAL . 2b) ⊠ This	action is non-final.				
3) Since this application is in condition for allowar closed in accordance with the practice under E					
Disposition of Claims					
4) ☐ Claim(s) 1-4 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-4 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or					
9) The specification is objected to by the Examine	r.				
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correct	• • • • • • • • • • • • • • • • • • • •	•	i).		
Priority under 35 U.S.C. § 119	•				
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 1/14/05.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

Application/Control Number: 10/761,778

Art Unit: 2858

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the X film and Y film, and first and second X terminals, and first and second Y terminal must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/761,778

Art Unit: 2858

Claim Objections

Page 3

2. Claim 4 is objected to because of the following informalities: it is unclear if the "first capacitor" is different from the "first X capacitor" of claim 1. Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kalthoff et al., US 6,246,394, in view of Carpenter et al., US 6,639,587.

As per Claim 1, Kalthoff et al. discloses a film positioning device 1 for detecting a position of a contact point **Q**, the device comprising:

- an X film 30 having a first X terminal 51 and a second X terminal 50;
- a Y film 31 having a first Y terminal 53 and a second Y terminal 52;
- a first Y switch 21 coupled between the first Y terminal 53 and a ground (connected to 21);
- a second Y switch 20 coupled between the second Y 52 terminal and a power source +Vcc;

Application/Control Number: 10/761,778 Page 4

Art Unit: 2858

 a first X switch 19 coupled between the first X terminal 51 and the ground (connected to 20);

- a second X switch 18 coupled between the second X terminal 50 and the power source +Vcc;
- wherein when the film positioning device detects an X coordinate of the contact point, the first Y switch and the second Y switch are turned on, and then the X coordinate is obtained according to a voltage at the first X terminal x- or the second X terminal x+; (FIG. 4). Kalthoff's FIG. 4 is equivalent to applicants FIG. 4A, and the X coordinate can be derived by the voltage at 24, across the resistor R_{x1}.
- wherein when the film positioning device detects a Y coordinate of the contact point, the first X switch and the second X switch are turned on, and then the Y coordinate is obtained according to a voltage at the first Y terminal y- or the second Y terminal y+ (FIG. 3). Kalthoff's FIG. 3 is equivalent to applicants FIG. 4B, and the Y coordinate can be derived by the voltage at 26, across the resistor R_{y1}.

Kalthoff does not disclose:

- a first X capacitor coupled between the first X terminal and the second X terminal; and
- a second Y capacitor coupled between the first Y terminal and the second Y terminal.

Carpenter discloses a positioning device having:

Art Unit: 2858

- a first X capacitor (C_x, 116) coupled between the first X terminal (X₁, 120) and the second X terminal (X₂, 122); and
- a second Y capacitor (C_y, 118) coupled between the first Y terminal (Y₁, 124) and the second Y terminal (Y₂, 126), see FIG. 2.

Therefore, it would have been obvious to a person of ordinary skill in the art to include a capacitor between the Y terminals and a capacitor between the X terminals, as taught by Carpenter, in the position sensing device of Kalthoff, in order to accurately detect the X-resistance and the Y-resistance, through the appropriate discharge rate of the capacitors.

As per Claim 2, Kalthoff further discloses the positioning device, wherein the X film and the Y film are plane resistors (i.e. "resistive sheets", ABS., lines 1-4).

As per Claim 3, Kalthoff further discloses the positioning device, wherein the first Y switch 21, the second Y switch 20, the first X switch 19 and the second X switch 18 are transistors (column 2, lines 65-67, see FIG. 1).

3. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kalthoff in view of Carpenter, as applied to claim 1 above, and further in view of Teterwak, US 5,841,427.

Kalthoff in view of Carpenter disclose a position sensing device as applied to Claim 1, above.

Application/Control Number: 10/761,778

Art Unit: 2858

Kalthoff, as modified, does not disclose:

a first capacitor coupled to the first X terminal;

a second capacitor coupled to the second X terminal;

a third capacitor coupled to the first Y terminal; and

a fourth capacitor coupled to the second Y terminal.

Teterwak discloses a position sensing device having:

a first capacitor (part of 40, see detail in FIG. 3) coupled to the first X terminal 18A;

a second capacitor (part of 40, see detail in FIG. 3) coupled to the second X terminal 18C;

a third capacitor (part of 40, see detail in FIG. 3) coupled to the first Y terminal 18B; and

a fourth capacitor (part of 40, see detail in FIG. 3) coupled to the second Y terminal 18D.

In effect, each terminal 18A-D is connected to an RC network, each having a capacitor connected thereto, as detailed in FIG. 3, with a capacitor C1.

Therefore, it would have been obvious to a person of ordinary skill in the art to connect a capacitor to each terminal, as taught by Teterwak, in the position sensor of Kalthoff, in order to improve sensing of the resistive layers.

Application/Control Number: 10/761,778 Page 7

Art Unit: 2858

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Ikegami, US 6,208,332, discloses a film position sensing device with switches coupled to the first and second terminals of the X and Y resistive sheets, respectively.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marina Kramskaya whose telephone number is (571)272-2146. The examiner can normally be reached on M-F 7:00-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Lefkowitz can be reached on (571)272-2180. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Marina Kramskaya Examiner

M. Trams buy

Art Unit 2858

PRIMARY EXAMINED